

STREET

I PAVIMENTI MARCA CORONA / MARCA CORONA'S FLOOR TILES



MARCA CORONA 1741
EVOLUZIONE CERAMICA

TONALITÀ STREET PER SPAZI ATTUALI

STREET TONES FOR CONTEMPORARY SETTINGS

COLOURS

In Street collection there are four concrete-inspired takes on porcelain stoneware. There are various tones and surfaces, offering maximum freedom for designers. The selection presents an unparalleled interpretation of the latest urban trends.



LIGHT

CLAY

SILVER

DARK

SUPERFICI VERSATILI

VERSATILE SURFACES

A wide range of sizes and surfaces for indoor and outdoor projects. Both large and traditional sizes are available and the scope for utilization also encompasses outdoor settings thanks to the technical properties and 2 cm thickness of the Hithick version. Furthermore, it is possible to choose between natural, textured and satin surfaces. These different finishes highlight the unique aesthetics of the collection.

SURFACES

SATINATA SATIN

75x150 Rett.
30"x60" Rect.

NATURALE MATT

75x150 Rett.
30"x60" Rect.

120x120 Rett.
48"x48" Rect.

30x60 Rett.
12"x24" Rect.

60x60 Rett.
24"x24" Rect.

45x90 Rett.
18"x36" Rect.

STRUTTURATA TEXTURED

30x60 Rett.
12"x24" Rect.

60x60 Rett.
24"x24" Rect.

45x90 Rett.
18"x36" Rect.

HITHICK

01

HOME COMFORT

Hall • Dehor • Restaurant

LIVING SPACES



Highly contemporary living spaces. The living space influenced the style of the entire loft apartment, including the outdoor area. The concrete effect complements an original household spa area in urban surroundings and promotes a boundless sense of creativity for the bedroom. Street can combine the performance of porcelain stoneware with concrete-effect visual appeal in homes of all kinds.

TRENDY, URBANO, DINAMICO

FASHIONABLE, URBAN, DYNAMIC

HOME COMFORT / LIVING

FLOOR: STT. Light 45x90 Nat. Rett. -18"x36" Matt Rect.
WALL: Light 45x90 Nat. Rett. -18"x36" Matt Rect. / STT. Light Losanga 28,5x28 - 11¼"x11" / STT. Light Brick 3D 29x31 - 11½"x12½"
VOLUMES: STT. Light 75x150 Nat. Rett. -30"x60" Matt Rect.

ATMOSFERA LOFT ANCHE ALL'APERTO

LOFT ATMOSPHERES INDOORS
AND OUTDOORS

HOME COMFORT / OUTDOOR

FLOOR: STT. Silver 60x60 Strutt. Rett. -24"x24" Text. Rect.
WALL: STT. Silver 75x150 Strutt. Rett. -30"x60" Text. Rect. / STT. Silver Cm/L 90 45x90 - 18"x36" / BRL. Red 7,50x30 - 3"x12"
VASES: STT. Silver 60x60 Strutt. Rett. -24"x24" Text. Rect. / BENCH: ESX. Mahogany 20x120 Rett. - 8"x48" Rect.

CREATIVITÀ PER LA ZONA NOTTE

CREATIVITY FOR SLEEPING AREAS

HOME COMFORT / BEDROOM



FLOOR: STT. Clay 60x60 Nat. Rett. -24"x24" Matt Rect.
WALL: STT. Clay Losanga 28,5x28 - 11¼"x11"



FLOOR: STT. Silver Decoro 60x60 Rett. -24"x24" Rect.
SHOWER: STT. Silver 45x90 Strutt. Rett. Sp. 20mm - 18"x36" Text. Rect. Th. ¾"
WALL: STT. Silver 75x150 Nat. Rett. -30"x60" Matt Rect. / 30x60 Nat. Rett. -12"x24" Matt Rect. / STT. Silver Decoro 60x60 Rett. -18"x24" Rect.



AUTHENTIC ACCOMMODATION

Hall • Dehor • Restaurant

HOSPITALITY SPACES



Hosting with style. The urban buildings experience second lives as interesting accommodation facilities, as epitomized by the collection's concrete effect. A cosmopolitan hotel and a restaurant with an informal atmosphere. Detail-packed surfaces in both standard and large sizes, for a new way to play host.

ACCOGLIERE CON STILE

A STYLISH WELCOME

AUTHENTIC ACCOMODATION / HALL



FLOOR: STT. Dark 75x150 Nat. Rett. -30"x60" Matt Rect.
WALL: STT. Dark 75x150 Nat. Rett. -30"x60" Matt Rect. / STT. Dark Brick 3D 29x31 - 11¹/₈"x12¹/₈" / BRL. Beige 7,50x30 - 3"x12"
VOLUMES: ESX. Cedar 20x120 Rett. -8"x48" Rect.

ESTERNO METROPOLITANO CHIC

OUTDOOR METROPOLITAN CHIC

AUTHENTIC ACCOMODATION / DEHOR

HOTEL
&
FOOD

RESTAURANT
LOUNGE
DEHOR

FLOOR: STT. Dark 45x90 Strutt. Rett. Sp. 20mm - 18"x36" Text. Rect. Th. ¾"
WALL: STT. Dark 75x150 Strutt. Rett. -30"x60" Text. Rect. / ESX. Iroko 20x120 Rett. - 8"x48" Rect.
BENCHES: STT. Light 75x150 Strutt. Rett. -30"x60" Text. Rect

INVITO A CENA CON STILE

STYLISH DINNER INVITATION

AUTHENTIC ACCOMODATION / RESTAURANT



FLOOR: STT. Silver 120x120 Nat. Rett. -48"x48" Matt Rect.
WALL: STT. Silver 60x60 Nat. Rett. - 24"x24" Matt Rect. / STT. Zig Zag Tessere 30x30 - 12"x12"
COUNTER: RES. Honey 22,5x90 Nat. Rett. -9"x36" Rect. + 15x90 Nat. Rett. -6"x36" Rect.
STT. Silver 120x120 Nat. Rett. -48"x48" Matt Rect.

03

DECOR SCOUTING

Showroom • Exhibition Space

LEISURE SPACES



New concepts on display in a range of fields, including architectural design. Commercial premises that reflect the colours and spirit of the city and have strong identities based on the concrete effect. New portrayals of urban spaces for new settings with stylish finishes.

SPAZI METROPOLITANI IN MOSTRA

URBAN SPACES ON SHOW

DECOR.Scouting / SHOWROOM

FLOOR: STT. Clay 75x150 Sat. Rett. - 30"x60" Satin Rect.
WALL: STT. Clay 75x150 Nat. Rett. - 30"x60" Matt Rect. / STT. Clay Brick 3D 29x31 - 11³/₈"x12²/₈" / BRL. Olive 7,5x30 - 3"x12"
COUNTER: ESX. Cedar 30x120 Rett. - 12"x48" Rect

DESIGN IN BELLA MOSTRA

DESIGN IN THE SPOTLIGHT

DECOR SCOUTING / EXHIBITION SPACE

Exhibition Space

FLOOR: STT. Light 120x120 Nat. Rett. - 48"x48" Matt Rect.
WALL: STT. Light 120x120 Nat. Rett. - 48"x48" Matt Rect. / 4D Chevron White 40x80 Rett. - 16"x32"
CUBES: STT. Light Decoro 60x60 - 24"x24" TABLES: ESX. Walnut 20x120 Rett. - 8"x48" Rect.

Street




GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.
Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.				
NATURALE / MATT		NATURALE / MATT		STRUTTURATA / TEXTURED
120x120 Rett. 48"x48" Rect.		30x60 Rett. 12"x24" Rect.		60x60 Rett. 24"x24" Rect.
		60x60 Rett. 24"x24" Rect.		30x60 Rett. 12"x24" Rect.
		45x90 Rett. 18"x36" Rect.		45x90 Rett. 18"x36" Rect.
		75x150 Rett. 30"x60" Rect.		

CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.				
	STT. Light	STT. Clay	STT. Silver	STT. Dark
120x120 Nat. Rett. 48"x48" Matt Rect.	D751	-	D752	-
45x90 Nat. Rett. 18"x36" Matt Rect.	D802	D804	D803	D805
60x60 Nat. Rett. 24"x24" Matt Rect.	D721	D795	D723	D725
30x60 Nat. Rett. 12"x24" Matt Rect.	D739	D783	D740	D741
60x60 Strutt. Rett. 24"x24" Text. Rect.	D736	D796	D737	D738
30x60 Strutt. Rett. 12"x24" Text. Rect.	D742	D794	D743	D744
45x90 Strutt. Rett. Sp. 20mm 18"x36" Text. Rect. Th. ¾"	-	-	D777	D782

CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.					
NORMA. NORMS. Norme. Norm. Valor. Нормативы.		VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.			
		NATURALE / MATT	SATINATA / SATIN	STRUTTURATA / TEXTURED	STRUTT. SP 20mm / TEXT. TH. ¾"
	ISO 10545-6	CONFORME. SUITABLE FOR. Conforme. Konform. Conforme. Соответствующий.			
	ISO 10545-12	RESISTE. RESISTANT. Résistant. Beständig. Resiste. Выдерживает.			
	B.C.R.A.	> 0,40	-	> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET	-	≥ 0,60 DRY / ≥ 0,60 WET	≥ 0,60 DRY / ≥ 0,60 WET
	ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET	-	≥ 0,42 WET	≥ 0,42 WET
	BS7976-2:2002 Pendulum Testers	≥ 36 DRY / ≥ 36 WET	-	≥ 36 DRY / ≥ 36 WET	≥ 36 DRY / ≥ 36 WET
	DIN 51130	R10	-	R11	R11
	DIN 51097	-	-	A+B+C	A+B+C
	ISO 10545-13	UA-ULA-UHA	UB-ULB-UHB	UA-ULA-UHA	UA-ULA-UHA



Street


DECORI. DECORS. Decors. Dekor. Decoraciones. Декоры.




D810
Stt. Light Tessere
30x30 - 12"x12"




D817
Stt. Clay Tessere
30x30 - 12"x12"



D811
Stt. Silver Tessere
30x30 - 12"x12"



D818
Stt. Dark Tessere
30x30 - 12"x12"




D869
Stt. Light Losanga
28,5x28 - 11 1/4"x11"




D871
Stt. Clay Losanga
28,5x28 - 11 1/4"x11"



D870
Stt. Silver Losanga
28,5x28 - 11 1/4"x11"




D872
Stt. Dark Losanga
28,5x28 - 11 1/4"x11"




D820
Stt. Light Brick 3D
29x31 - 11 3/8"x12 1/8"




D822
Stt. Clay Brick 3D
29x31 - 11 3/8"x12 1/8"




D821
Stt. Silver Brick 3D
29x31 - 11 3/8"x12 1/8"



D823
Stt. Dark Brick 3D
29x31 - 11 3/8"x12 1/8"



D819
Stt. Zig Zag Tessere
30x30 - 12"x12"



D806
Stt. Light Decoro
60x60 - 24"x24"




D808
Stt. Clay Decoro
60x60 - 24"x24"



D807
Stt. Silver Decoro
60x60 - 24"x24"





D809
Stt. Dark Decoro
60x60 - 24"x24"

PEZZI SPECIALI. SPECIAL PIECES. Pieces Speciales. Form Stücke. Piezas Especiales. Соединительные Элементы.						± 10 mm
		 STT. Light	 STT. Clay	 STT. Silver	 STT. Dark	
	Battiscopa 7,2x90 Nat. Rett. - 3"x36" Matt Rect.	D865	D867	D866	D868	
	Battiscopa 7,2x75 Nat. Rett. - 3"x30" Matt Rect.	D861	D863	D862	D864	
	Battiscopa 7,2x60 Nat. Rett. - 3"x24" Matt Rect.	D854	D856	D855	D857	
	Scalino 33x120 Nat. Rett. - 13"x48" Matt Rect.	D877	-	D878	-	
	Scalino 33x90 Nat. Rett. - 13"x36" Matt Rect.	D887	D889	D888	D890	
	Scalino 33x60 Nat. Rett. - 13"x24" Matt Rect.	D883	D885	D884	D886	
	Ang. Scalino 33x33 Nat. Rett. - 13"x13" Matt Rect.	D879	D881	D880	D882	
	Elemento Elle 60x15x4 Strutt. Rett. 24"x6" x 1 5/8" Text. Rect.	D907	D909	D908	D910	

STREET

HITHICK 2 cm

PEZZI SPECIALI. SPECIAL PIECES. Pieces Speciales. Form Stücke. Piezas Especiales. Соединительные Элементы.					20 mm	
 Scalino Lineare	COSTA LUCIDA 45x90 - 18"x36"		TORO 45x90 - 18"x36"		COSTA LUCIDA 45x45 - 18"x18"	
	D911 Stt. Silver Sc/L90		D913 Stt. Silver Sc/T90		D915 Stt. Silver Sc/L45	
	D912 Stt. Dark Sc/L90		D914 Stt. Dark Sc/T90		D916 Stt. Dark Sc/L45	
 Scalino Angolare	COSTA LUCIDA 45x90 - 18"x36"		TORO 45x90 - 18"x36"		COSTA LUCIDA 45x45 - 18"x18"	
	D919 Stt. Silver Ang/L90 DX D921 Stt. Silver Ang/L90 SX		D923 Stt. Silver Ang/T90 DX D925 Stt. Silver Ang/T90 SX		D927 Stt. Silver Ang/L45	
	D920 Stt. Dark Ang/L90 DX D922 Stt. Dark Ang/L90 SX		D924 Stt. Dark Ang/T90 DX D926 Stt. Dark Ang/T90 SX		D928 Stt. Dark Ang/L45	
 Scalino a Elle	45x90x12 - 18"x36"x4 ³ / ₄ "				45x90x12 - 18"x36"x43/4" DX	
	D947 Stt. Silver Sc. 45x90x12				D929 Stt. Silver An. 45x90x12 DX	
	D948 Stt. Dark Sc. 45x90x12				D930 Stt. Dark An. 45x90x12 DX	
 Angolare Scalino a Elle					45x90x12 - 18"x36"x43/4" SX	
					D931 Stt. Silver An. 45x90x12 SX	
					D932 Stt. Dark An. 45x90x12 SX	
 Elemento a Elle	90x22,5x5 - 36"x9"x2"				90x15x15 - 36"x6"x6"	
	D935 Stt. Silver El 90x22,5x5				D937 Stt. Silver El. 90x15x15	
	D936 Stt. Dark El 90x22,5x5				D938 Stt. Dark El. 90x15x15	
 Cordolo a Elle						
 Coprimumetto	COSTA LUCIDA 45x90 - 18"x36"		TORO 45x90 - 18"x36"			
	D939 Stt. Silver Cm/L 90				D941 Stt. Silver Cm/T 90	
	D940 Stt. Dark Cm/L 90				D942 Stt. Dark Cm/T 90	
 Alzata lineare con scuretto	90x15 - 36"x6"				EXTRA Altezza max 20 cm Max height 8"	
	D943 Stt. Silver Alz. 90x15				D945 Stt. Silver Alz. Extra	
	D944 Stt. Dark Alz. 90x15				D946 Stt. Dark Alz. Extra	
 Griglia	20x45 - 8"x18"				20x45 - 8"x18" DX	
	E077 Stt. Silver Griglia				E078 Stt. Silver Griglia Ang. Gr. DX	
	E080 Stt. Dark Griglia				E081 Stt. Dark Griglia Ang. Gr. DX	
 Angolo Griglia					20x45 - 8"x18" SX	
					E079 Stt. Silver Griglia Ang. Gr. SX	
					E082 Stt. Dark Griglia Ang. Gr. SX	

SUPPORTI 2 CM. SUPPORTS 2 CM. Supports 2 cm. Träger 2 cm. Pedestal 2cm. Onopa 2 cm.			
	SF12	SUPP.FISSO 12 MM	
	SF15	SUPP.FISSO 15 MM	
	SF20	SUPP.FISSO 20 MM	
	SFB3	SUPP.FISSO BASE 3MM	
	SU25	SUPP.REGOL.25/40 MM	
	SU40	SUPP.REGOL.40/70 MM	
	SU60	SUPP.REGOL.60/100 MM	
	SLG3	SUPP.LEVEL.GOMMA 3MM	
			SU37
			SUPP.AUTOLIV.37,2/50 MM
			SU50
			SUPP.AUTOLIV.50/75 MM
			SU75
			SUPP.AUTOLIV.75/120M
			CHRE
			CHIAVE REGOLAZIONE

CARATTERISTICHE TECNICHE SUPPORTI 2 CM. TECHNICAL CHARACTERISTICS OF THE SUPPORTS 2 CM.
SUPPORTI REALIZZATI IN MATERIALE TOTALMENTE RICICLABILE. SUPPORTS MADE FROM 100% RECYCLABLE MATERIAL.
RESISTENTI ALLE SOLUZIONI ACIDE E BASICHE. RESISTANT TO ACID AND ALKALI SOLUTIONS.
RESISTENTE AGLI AGENTI ATMOSFERICI. RESISTANT TO ATMOSPHERIC AGENTS.
RESISTENTE A TEMPERATURE DA -30°A +120°. RESISTANT TO TEMPERATURES FROM -30° TO +120°.

NOTE: Per dettagli sul prodotto HITHICK in 20 mm di spessore e in particolare per le raccomandazioni, accorgimenti, limitazioni di utilizzo e precauzioni in fase di posa, si raccomanda di prendere in visione il catalogo HITHICK e il sito www.marcacorona.it. | For further details about HITHICK in 20mm thickness and in particular for recommendations, instructions and restrictions of use and installation, please refer to the HITHICK catalogue or visit the website www.marcacorona.it | Pour en savoir plus sur le produit HITHICK en 20 mm d'épaisseur et sur les recommandations, instructions et limitations pour l'utilisation et les systèmes de pose relatifs, veuillez vous référer au catalogue HITHICK et consulter le site www.marcacorona.it | Ausführliche Informationen zu dem Produkt HITHICK in einer Stärke von 20 mm Dicke und insbesondere Tipps und Tricks, Einschränkungen bei der Verwendung und Vorsichtsmaßnahmen während der Verlegung finden Sie im Katalog HITHICK und auf der Internetseite www.marcacorona.it | Para conocer más detalles sobre el producto HITHICK en 20 mm de espesor y en especial para más informaciones sobre recomendaciones, atenciones, límites de empleo y precauciones durante la fase de colocación, se recomienda consultar el catálogo HITHICK y el sitio www.marcacorona.it | Более подробная информация об изделиях HITHICK толщиной 20 мм, а также рекомендации, меры предосторожности, ограничения по применению, советы по укладке приведены в каталоге HITHICK и на сайте www.marcacorona.it