


9CENTO

Tales from the Villas





9CENTO

Tales from the Villas

PORCELAIN STONEWARE

Marble effect

Made in Italy

We pick the very best raw materials and we follow aesthetics and functional criteria to turn them into products embodying Italian taste and excellence. We sharply combine passion and technology, creativity and accuracy, science and culture, and environmental friendliness. To all of us, Made in Italy means gathering these features into every single product.

Greenthinking

We recycle 100% of our water, produce 65% of our energy, separate 98% of our waste. We were the first company in the ceramic industry to obtain PEF certification and were among the first to earn the EPD, the FDES, and the HPDC certifications. The majority of our products comply with the LEED - Leadership in Energy and Environmental Design - standard. Greenthinking implies a solemn promise, an everyday commitment.

INSPIRATION

Tales from the Villas

The domus of the 1900s are like giant butterflies resting gently on the ground, revealing a monumental yet incredibly light architecture. This is how 20th century designer Gio Ponti saw Villa Planchart, his home in Caracas: a harmonious plethora of rich and varied decorations overflowing with life. As you take in the interiors and panoramic expanses, the multicoloured walls and ceilings that appear, along with superb marble floors featuring exclusive geometries in the Palladian style, make it almost impossible to look away.



INDOOR

- 120x278** 6 mm
- 120x120** 9 mm
- 60x120** 9 mm
- 30x120** 9 mm
- 60x60** 9 mm

5

SIZES

2

THICKNESSES

Sizes and thicknesses

Expressive research and technical finesse are reunited in all five sizes of 9Cento - all of which measure 120 cm along the side, with the exception of the smallest size, the 60x60 cm square. The large tile, in a thickness of 6 mm, combines technical strength and aesthetic superiority in a size which beautifully presents the rich and unpredictable textures of the ceramic marble surfaces.



6

COLORS

1

SURFACE

Colors and surfaces

9Cento has a strong personality and a clear vocation: to ignite, elevate and transform. The exuberant souls of the architects behind its creation are immediately visible in the Palladian geometries and five shades of colour. The rigorous design that lies beneath a perfectly smooth finish embraces the unpredictability of the marks left by nature. Everything emerges, suggesting a new and seductive interpretation of the word "decoration".



Metamorfofi



Ombra Moca



Raggio Verde



Alba Oro



Aurora Beige




Riflesso Bianco

metamorfosi

Transformed by the perfect combination of colour, shape and shine, the Palladian style takes flight on the wings of fantasy and rigour. As soon as it lands, it becomes a butterfly floor, a covering of rare beauty. Sections of marble release unexpected, almost magnetic geometries; varying colours celebrate the creative use of natural materials in futuristic contexts. Metamorfosi makes it possible for new interiors to contend with a century of revolutionary architecture while allowing contemporary projects to journey towards decorative frontiers that we have yet to discover

60x120 (24"x48") -
RAGGIO VERDE 120x278 (48"x110") -
OMBRA MOCA 60x120 (24"x48")





60x120 (24"x48") -
OMBRA MOCA 60x120 (24"x48")



60x120 (24"x48") -
RAGGIO VERDE 120x278 (48"x110")



ombra moca


A darkened sky in the background is lit up by a storm of streaks in shades of colour reminiscent of tea and coffee, tipped with touches of terracotta. Every gram of pigment triggers an intimate yet intense exchange with space


120x120 (48"x48") -

REALIZZATI SU MISURA / CUSTOM MADE TRIMS

CORNICE A L 15x5 (5⁷/₈"x1¹⁵/₁₆")

ZOCCOLO A L 15x3 (5⁷/₈"x1³/₁₆")





120x120 (48"x48")

REALIZZATI SU MISURA / CUSTOM MADE TRIMS

CORNICE A L 15x5 (5⁷/₈"x1¹⁵/₁₆")

ZOCCOLO A L 15x3 (5⁷/₈"x1³/₁₆")



120x120 (48"x48")

REALIZZATO SU MISURA / CUSTOM MADE TRIMS


ZOCCOLO A L 15x3 (5⁷/₈"x1³/₁₆")

raggio verde

As bright as the Irish countryside, as uncertain as the Northern skies: there are so many different shades of green on the surface, streaked with candid veins and mineral filaments, that counting them is impossible

120x278 (48"x110") - 120x120 (48"x48") -
MOSAICO PALM MIX 35x35 (13^{25/32}"x13^{25/32}"






MOSAICO PALM MIX
35x35 (13^{25/32}"x13^{25/32}"

alba oro

Italian Calacatta is a particularly romantic type of marble, steeped in ancient memories. Its veins, sometimes fine and sometimes coarse, extend like golden branches tinged with powder pink or orange pigments, in a pattern that never repeats itself

60x120 (24"x48") - 60x60 (24"x24") -

ELEMENTS DESIGN TAUPE
PIATTO DOCCIA FILO PAVIMENTO / SHOWER TRAY FLOOR LEVEL
HOME DECOR 80x120 (32"x48")
LAVELLO A COLONNA / COLUMN SINK
HOME DECOR 50x50x85 (20"x20"x33³/₈")





60x120 (24"x48")



60x60 (24"x24")



aurora beige

*When minerals come perfectly together, Breccia marble reflects all the colours of the dawn sky.
A soft, variegated beige emerges from the background, revealing all the classical beauty
of its Mediterranean soul*

120x278 (48"x110") - 120x120 (48"x48") -

REALIZZATI SU MISURA / CUSTOM MADE TRIMS

CORNICE A L 15x5 (5⁷/₈"x1¹⁵/₁₆")

ZOCCOLO A L 15x3 (5⁷/₈"x1³/₁₆")



riflesso bianco

Exotic elegance with a bright and evanescent background flecked with scales of granitic origin. Streams of colour run across the surface, dark pigments moving closer together and then further apart

120x120 (48"x48")





120x120 (48"x48")



120x120 (48"x48")


HOME DECOR



LAVELLO A COLONNA
COLUMN SINK




DISPONIBILE IN / AVAILABLE IN
50x50x85 cm




LAVELLO DA APPOGGIO
COUNTERTOP SINK



DISPONIBILE IN / AVAILABLE IN
35x50x12 cm



DISPONIBILE IN / AVAILABLE IN
50x120x12 cm
50x160x12 cm



HOME DECOR




PIATTO DOCCIA*
SHOWER TRAY




DISPONIBILE IN / AVAILABLE IN

80x120 cm
80x135 cm
90x135 cm
90x160 cm



DISPONIBILE IN / AVAILABLE IN

80x120x4 cm
80x135x4 cm
90x135x4 cm
90x160x4 cm




TAVOLINO CIRCOLARE
CIRCULAR TABLE



DISPONIBILE IN / AVAILABLE IN

Ø 42 cm H 50 cm
Ø 58 cm H 50 cm
Ø 73 cm H 39 cm



IT_

***Attenzione.** Per ottenere una superficie antiscivolo nel piatto doccia è necessario stendere un tappeto idoneo ad assicurare una presa sicura del piede in presenza di acqua.

EN_

***Warning.** To obtain a non-slip surface in the shower tray it is necessary to lay down a carpet suitable to ensure a secure grip of the foot in the presence of water.

HOME DECOR




TAVOLO RETTANGOLARE
RECTANGULAR TABLE



DISPONIBILE IN / AVAILABLE IN
95x200x75 cm




DISPONIBILE IN / AVAILABLE IN
95x175x75 cm



TAVOLO PLUS ATELIER
PLUS ATELIER TABLE



PERSONALIZZABILE IN DIMENSIONE E COLORE / CUSTOMIZABLE IN SIZE AND COLOR



9CENTO

TECHNICAL FEATURES

FULL-BODY PORCELAIN GL

THICKNESSES

6 mm (120x278)

9 mm (120x120 - 60x120 - 30x120 - 60x60)

SHADING



V2



V3

ASSESSMENT OF SLIP RESISTANCE

DIN 51130 Lappato

DIN 51097 Lappato

COF Conforme/*Compliant*

DCOF Conforme/*Compliant*

PENDULUM +36 PTV 96 (R10) -

PORCELAIN STONEWARE



NOT ATTACKED BY ACIDS



RESISTANT TO FROST AND SUDDEN THERMAL CHANGES



EASY TO CLEAN



RESISTANT TO STRESSES AND ABRASION
500 kg/cm² of mechanical pressing and firing at 1250°C



ANTI-SLIP

for outdoor and wet environments



CHROMATICALLY FAST

unchanged by weather agents and smog



DOES NOT REACT TO FIRE

does not release fumes in case of fire



NULL H₂O ABSORPTION

GREENTHINKING



100% RECOVERED WASTE WATER



ENERGY SELF-PRODUCED BY PV PLANT



98% WASTE SENT TO SEPARATE COLLECTION



*** + 5.000.000 L = 3.000.000** 

PROCESS WATER FROM OTHER FACTORIES



100% FAO PALLETS



*** 18.408 t = 570** 

NON-EXTRACTED RAW MATERIALS THANKS TO THE RECOVERY OF SCRAPS



100% RECOVERED RAW SCRAPS



*** + 24.000 MWh/year = 185.000** 

84% ENERGY SELF-PRODUCED BY COGENERATION PLANTS

* Data referring to year 2018

METAMORFOSI



OMBRA MOCA



RAGGIO VERDE



ALBA ORO



AURORA BEIGE



RIFLESSO BIANCO



METAMORFOSI **V3**



OMBRA MOCA **V2**



RAGGIO VERDE **V2**



ALBA ORO V2



AURORA BEIGE V2




RIFLESSO BIANCO V2




5 SIZES



◆ 120x278 (48"x110") RT 6 mm



◆ 120x120 (48"x48") RT 9 mm



◆ 60x120 (24"x48") RT 9 mm




◆ 30x120 (12"x48") RT 9 mm




◆ 60x60 (24"x24") RT 9 mm

◆ Lappato

2 DECORS



MOSAICO ◆ 30x30 (12"x12") RT 9 mm
(TESSERE: 4,8x4,8 (1 7/8"x1 7/8"))




OMBRA MOCA




RAGGIO VERDE




ALBA ORO



AURORA BEIGE



RIFLESSO BIANCO




MOSAICO PALM MIX ◆ 35x35 (13 25/32"x13 25/32") RT 9 mm
(TESSERE: 10x10 (3 15/16"x3 15/16"))



PALM MIX
(RIFLESSO BIANCO-OMBRA MOCA-RAGGIO VERDE)


6

TRIMS



BATTISCOPA

- ◆ 4,6x120 (1^{13/16}"x48") RT 9 mm
- ◆ 7,2x60 (2,8"x24") RT 9 mm




SCALINO INCOLLATO

- ◆ 33x60 (13"x24") RT 9 mm




ANGOLARE INCOLLATO

- ◆ 33x33 (13"x13") RT 9 mm



SCALINO INCOLLATO

- ◆ 33x120 (13"x48") RT 9 mm




ANGOLARE INCOLLATO


- ◆ 33x120 (13"x48") RT 9 mm

- ◆ Lappato

LAYING SYSTEM



- 30x120 (12"x48") RT - 50,00%
- 60x120 (24"x48") RT - 50,00%



- 30x120 (12"x48") RT - 33,33%
- 60x120 (24"x48") RT - 66,66%

Minimum suggested joint for indoor laying 2 mm

Advice on laying, cleaning and maintenance at the link
keope.com

SIZES

	120x278 (119,5x278)* 48"x110"	120x120 (119,5x119,5)* 48"x48"	60x120 24"x48"	30x120 12"x48"	60x60 24"x24"
working size	1194x2778	1194x1194	596x1195	297x1195	596x596
	RT	RT	RT	RT	RT
	6 mm	9 mm	9 mm	9 mm	9 mm
AURORA BEIGE	◆	◆	◆	◆	◆
RAGGIO VERDE	◆	◆	◆	◆	◆
OMBRA MOCA		◆	◆	◆	◆
ALBA ORO		◆	◆	◆	◆
RIFLESSO BIANCO		◆	◆	◆	◆
METAMORFOSI			◆		

*Formato nominale / Nominal size

◆ Lappato

SIZE, WEIGHT AND PACKAGING

SIZE	THICKNESS	PIECES/BOX	SQM/BOX	KG/BOX
120x278	6 mm	1	3,32	49,37
120x120	9 mm	2	2,86	60,80
60x120	9 mm	2	1,44	31,93
30x120	9 mm	4	1,44	31,48
60x60	9 mm	3	1,08	25,00

TECHNICAL FEATURES

TECHNICAL FEATURES		NORM EN 14411 - ISO 13006	REQUIRED VALUES	VALUES
	SIZES RECTIFIED	UNI EN ISO 10545-2	length-width $\pm 0,3\%$ ($\pm 1,0$ mm max) thickness $\pm 5,0\%$ ($\pm 0,5$ mm max) rectangularity $\pm 0,3\%$ ($\pm 1,5$ mm max) straightness $\pm 0,3\%$ ($\pm 0,8$ mm max) flatness $\pm 0,4\%$ ($\pm 1,8$ mm max) surface quality $\geq 95\%$	COMPLIANT
	WATER ABSORPTION	UNI EN ISO 10545-3	$\leq 0,5\%$	$\leq 0,1\%$
	BREAKING STRENGTH	UNI EN ISO 10545-4	$R \geq 35$ N/mm ² $S \geq 700$ N (<7,5 mm) $S \geq 1300$ N ($\geq 7,5$ mm)	6 mm 9 mm COMPLIANT COMPLIANT
	SURFACE ABRASION RESISTANCE (GL - Lappato)	UNI EN ISO 10545-6	declare a value	TEST AVAILABLE
	THERMAL SHOCK RESISTANCE	UNI EN ISO 10545-9	resistant	COMPLIANT
	FROST RESISTANCE	UNI EN ISO 10545-12	resistant	COMPLIANT
	CHEMICAL RESISTANCE	UNI EN ISO 10545-13	resistant	COMPLIANT
	RESISTANCE TO STAINS	UNI EN ISO 10545-14	cleanable	COMPLIANT
		DIN 51130	R product	R A+B+C >0,40 >0,42
		DIN 51097	A+B+C	
	ASSESSMENT OF SLIP RESISTANCE	B.C.R.A. (COF) ANSI A137.1 2012 (DCOF) Pendulum Test Value PTV 96 (R10)	0,40 bagnato / wet >0,42 bagnato / wet > 36 -	120x278 Lappato - 120x120 Lappato - 60x120 Lappato - 30x120 Lappato - 60x60 Lappato - - -

Dry pressed tiles - Compliant with standards EN 14411 and ISO 13006 annex G group B1-a with E \leq 0,5%